School Snippets

www.hemingbrough.n-yorks.sch.uk

admin@heminabrouah.n-vorks.sch.uk

Headteacher: Mrs Sarah Chappell



Welcome to this week's Snippets

Open Afternoon -Fri 2nd Feb, 1.30 – 3pm

We look forward to welcoming you on Friday. Please feel free to join us for all or part of the afternoon. Also, please remember you are able to visit other classes, not just your own child's class.

Performances in the Hall:

Year 4 - 1.45 - 2pm

Year 3 - 2.15 - 2.30pm

Year 1/2 - 2.30 - 2.45pm

EYFS / Year 1 - 2.45 - 3pm

Our curriculum drivers are:



Community



Aspiration



Resilience



Empathy

Mud Kitchen

We have taken delivery of a large 'modular' mud kitchen, which we are going to have outside for imaginative play at breaktimes.

As with all these things, it requires putting together!

If any Mums or Dads are able to spare any time to help with this, please let me know - it would be very much appreciated!





A few key dates...

Fri 2nd Feb

Whole School Open Afternoon 1.30 – 3pm

Visit your child's and other classes to find out what the children have been doing and learning.

Please enter via the main office, where you will be asked to sign in.

Fri 9th Feb

School Closes for Half Term

Spring Term (2)

Mon 19th Feb

School Re-opens

We have been asked to send out information from the NHS regarding Measles:

What to do if you think your child has measles and when to keep them off school

Cases of measles are rising across England, including among children. It's an infection that spreads very easily and for some people can cause serious problems.

There's no specific medical treatment for measles, so it's important to get vaccinated as it's the best protection against becoming seriously unwell.

The measles, mumps and rubella (MMR) vaccine is one of the routine childhood vaccinations, so most children are already vaccinated against measles. If your child has received both doses of the vaccine, they are unlikely to have the virus.

Here, we explain everything you need to know about the rise in measles cases, from getting your child vaccinated to when to keep them off school.

What are the symptoms of measles?

Measles usually starts with cold-like symptoms, followed by a rash a few days later.

Some people may also get small spots in their mouth. Find out more on the NHS website.

What should you do if you think your child has measles?

You should ask for an urgent GP appointment or get help from NHS 111 if you think you or your child may have measles.

Don't go to the GP or any other healthcare setting without calling ahead first.

If your child has been diagnosed with measles by a doctor, they should stay off nursery or school for at least 4 days from when the rash first appears.

They should also avoid close contact with babies and anyone who is pregnant or has a weakened immune system.

What is the best way to protect against measles?

The best protection against measles for children and adults is to get both doses of the MMR vaccine.

Children are offered a vaccine free on the NHS at 12-months-old and then a second dose when they turn 3-vears-and-4-months-old.

But you can catch up at any age – if you or your child haven't yet been vaccinated, you should contact your GP practice to book a free appointment.

You can request a version of the MMR vaccine that does not contain pork products from your GP, making it suitable for all faiths. Please note that the practice may need to order this product in specially, so it will be helpful to tell them your views before the appointment.

Cold-like symptoms can be an early sign of measles. Should you still send your child to school?

If your child has been vaccinated, it's very unlikely that they have measles

School attendance is vitally important to your child's learning and health.

According to the NHS, it's fine to send your child to school with a minor cough or common cold, provided they don't have a temperature.

When should you keep your child off school or nursery and how long for?

Usually, your child will only need to stay off school if they are unvaccinated.

The school or local Health Protection Team will let you know if your child has been in contact with someone who has measles, and tell you what you need to do.

They may advise people who are more susceptible to contracting the virus, such as unvaccinated siblings to stay away for the incubation period.

The incubation period is the length of time it can take to develop the illness after being in contact with someone with measles. For measles, the incubation period can be up to 21 days.

Anyone who has been vaccinated is unlikely to be considered susceptible.



If your child does have measles, they should stay off nursery or school for at least 4 days from when the rash first appears, and avoid close contact with babies and anyone who is pregnant or has a weakened immune system.

If you're not sure whether your child is due a vaccination or has missed a vaccination, you can check your Red Book or contact your GP practice.

If your child has missed their first or second dose of MMR vaccine, you should contact your GP practice to book an appointment.

Should you keep your child off school if another pupil has been diagnosed with measles?

Most children will be protected against measles and there is no need to keep your child off school if they have had both their MMR vaccinations.

Your local Health Protection Team will tell you if your child has been in contact with someone with measles and will let you know what the next steps are.

Can I still get my child vaccinated even if they're older?

Yes. Anyone who has not had 2 doses of the MMR vaccine should ask their GP surgery for a vaccination appointment.

It's best to have vaccines on time, but you can still catch up on most vaccines if you miss them. Two doses of the vaccine are needed to ensure full protection.